

Message

From: Schulman, Michael [Schulman.Michael@epa.gov]
Sent: 7/30/2021 7:08:45 PM
To: Poalinelli, Edwin [POALINELLI.EDWIN@EPA.GOV]
Subject: RE: SEMD Travel Request

Northrup emailed back right after I hit send below. The building owner GI Partners did not indicate any plans to attend.

Ex. 5 Deliberative Process (DP)

From: Schulman, Michael
Sent: Friday, July 30, 2021 12:06 PM
To: Poalinelli, Edwin <POALINELLI.EDWIN@EPA.GOV>
Subject: RE: SEMD Travel Request

From Northrup:

- Michael Shannon – Northrop Grumman’s Corporate Manager, Environmental Remediation.
- Myself – Northrop Grumman’s Project Manager
- Holly Holbrook – AECOM’s Project Manager
- I am expecting we will also have an escort from Apple but I have not yet been able to confirm who that will be. I’ll let you know as soon as I hear back from Apple.

I’d also reserve a person for the building manager. I asked Northrup if it would be the building manager or Apple (or maybe both) and am waiting to hear back.

From: Schulman, Michael
Sent: Friday, July 30, 2021 8:26 AM
To: Poalinelli, Edwin <POALINELLI.EDWIN@EPA.GOV>
Subject: Re: SEMD Travel Request

It will be just an inspection and no sampling. There will be 2 Northrup people attending, and I estimate 1 or 2 AECOM Northrup consultants. I also estimate at least one Apple representative, and maybe a building owner representative. I’ll follow up this morning with Northrup to confirm the number of people attending.

Michael

On Jul 30, 2021, at 7:27 AM, Poalinelli, Edwin <POALINELLI.EDWIN@epa.gov> wrote:

Good Morning,

Since I am talking to Audrey today, I just wanted to confirm if this is just a inspection or inspection/sampling. What do you think is the maximum number of people (non-EPA) that will be attending?

Thanks

Edwin "Chip" Poalinelli

Section Manager - California Site Cleanup Section I
Superfund and Emergency Management Division U.S. EPA Region 9
75 Hawthorne Street
San Francisco, CA 94105
415-972-3390
415-301-1573 (cell)
poalinelli.edwin@epa.gov

From: Handley, Bianca <Handley.Bianca@epa.gov>

Sent: Thursday, July 29, 2021 9:53 PM

To: Poalinelli, Edwin <POALINELLI.EDWIN@EPA.GOV>; Manheimer, Kelly <manheimer.kelly@epa.gov>;
Harris-Bishop, Rusty <Harris-Bishop.Rusty@epa.gov>

Subject: SEMD Travel Request

TRW Microwave Site (Triple Site), Sunnyvale, Santa Clara County, CA Travel Request Form

Travel is being requested to TRW Microwave Site (Triple Site), Sunnyvale, Santa Clara County, CA o

Travelers: Michael Schulman (SFD-7-1); Matt Plate (QA)

Division: SEMD

COVID Status at the Departure Location: Alameda County - 9.3 COVID cases (adjusted) per 100,000

COVID Status at the Destination Location: Santa Clara County - 188 new COVID cases per 100,000

Description of why this work is urgent and cannot be postponed: A site visit to an Apple office bu contacted EPA and notified EPA that there were cracks in the building's foundation. If true and the onsite work will include visual inspections to the: (1) The vapor intrusion passive sub-slab depressu indoor air sampling locations. (4) The indoor location where contaminated soil was excavated from The groundwater in-situ bioremediation system (outdoors).

Travel Method/Lodging: Separate vehicles, one person per vehicle, local travel, no overnight stay.

Key COVID-19 Health and Safety Measures being implemented: Will follow County COVID 19 safe

Guidance review and being used for implementation of this work: ["Pre-Travel considerations and Guidance: Interim Health and Safety Guidelines Related to COVID-19 for Conducting Superfund Site

Link to request :

https://usepa.sharepoint.com/sites/R9/superfund/_layouts/15/listform.aspx?PageType=4&ListId=

Approval will send an email to the Branch Manager

APPROVE

REJECT

Message sent via **Microsoft Power Automate**, enabling you to create automated workflows between your favorite apps and services.

© Microsoft Corporation 2021